


Modular dock - 155 x 928 cm



SKU: PONB155x928

Gross Price: €4,663.64

Net Price: €3,919.02



Technical Specification

Attribute	Value
Displacement	2560 l
Dimension	155 x 928 cm
How many modules in the set?	4
Color	Grey
Material	Polyethylene
Weight	288 kg
Usable area	14,4 qm
Shipping time	3-7 days
Production time of 100 pcs	20 days

Description

Modular dock - 155 x 928 cm

Are you looking for a stable, durable, and safe platform for recreation, boat mooring, or water sports? The offered **Modular dock - 155 x 928 cm** measuring **155 x 928 x 25 cm** is a professional, ready-made modular floating dock manufactured in the European Union. It features a remarkable buoyancy of **350 kg/m²** and a self-weight of **290 kg**, guaranteeing outstanding static stability and allowing for fast installation. The seamless, rotomolded high-density polyethylene (HDPE) structure is completely resistant to freezing temperatures, salt water, and UV degradation. Importantly, **our modular floating docks are lake ice resistant** – the entire dock assembly can safely remain in the ice all winter, eliminating the need for seasonal removal. This is a perfect, maintenance-free waterfront solution for commercial marinas, resorts, and private quays.

Sorfan modular floating docks combine unyielding safety with modern aesthetics. The top surface of each module features a textured, non-skid pattern that prevents slips, even when the dock is completely wet. Symmetrical rubber connectors and composite bolts secure the interlocking modules together, absorbing dynamic stresses caused by wave movements while maintaining absolute structural integrity. The modular design lets you easily configure modules into L, T, or U-shapes, offering limitless expansion options in the future.

Technical Specification

External dimensions	155 x 928 x 25 cm
Freeboard height	25 cm
Dry weight	290 kg
Max. buoyancy capacity	350 kg/m ²
Material	High-density polyethylene (HDPE) with UV protection
Color	Grey / RAL custom order

Key Technical Features and Benefits:

- **Optimal Slip-Resistance:** Textured non-skid surface pattern ensures secure footing under wet conditions.
- **Year-Round Durability:** Mrozoodpornost and ice-overwintering proof allow the dock to safely freeze in the water.
- **EU-grade HDPE Quality:** Produced in the EU from certified, high-density polyethylene for maximum durability.
- **Flexible Modular Design:** Symmetrical mounting allows quick connection into L, T, or U-shaped piers.
- **Zero Upkeep Costs:** Requires no painting, chemical impregnation, or algae scrubbing like wood

or steel.

Available accessories for modular floating docks

To fully customize your ready-made floating docks to your requirements, we offer a comprehensive range of premium accessories:

- [**Cleat / Knagge**](#) – Essential for secure mooring of boats and PWCs.
- [**Safety barrier Series W \(1.12 m\)**](#) – Significantly enhances user safety.
- [**Post connector WS 5.4 kg \(Series highboard\)**](#) – Heavy-duty connection for anchoring piles.
- [**Float connector WL 2.3 kg \(Series highboard\)**](#) – Symmetrical coupling of float modules.
- [**Aluminium dock ladder**](#) – Safe and easy access from the water.